



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES—UNTABULATED.

CALIFORNIA.—Month of May, 1909. Estimated population, 2,037,929. Total number of deaths reported to the state board of health, 2,577, corresponding to an annual death rate of 14.9 per 1,000 of population, including enteric fever 34, measles 13, scarlet fever 10, whooping cough 23, diphtheria 22, and 415 from tuberculosis.

COLORADO—*Colorado Springs*.—Month of January, 1909. Estimated population 32,000. Total number of deaths, 49, corresponding to an annual death rate of 18.38 per 1,000 of population, including 7 from tuberculosis. Cases: Scarlet fever 13, diphtheria 5, and enteric fever 1.

Month of February, 1909. Total number of deaths, 41, corresponding to an annual death rate of 15.37 per 1,000 of population, including enteric fever 1, scarlet fever 2, and 11 from tuberculosis. Cases: Scarlet fever 9, diphtheria 4, and enteric fever 4.

CONNECTICUT—*Bridgeport*.—Month of May, 1909. Estimated population, 100,000. Total number of deaths, 118, including diphtheria 1, measles 2, enteric fever 2, and 12 from tuberculosis. Cases: Diphtheria 18, enteric fever 3, scarlet fever 18, measles 56, enteric fever 3, and pulmonary tuberculosis 13.

FLORIDA.—Cases of communicable diseases diagnosed at the laboratory of the state board of health for the week ended June 26, 1909, are as follows: *Malaria*—Tampa 5; Jacksonville 2; Crescent City, Hawthorne, Mayport, Newburg, and Ocala, each 1 case. *Tuberculosis*—Tampa 6; Jacksonville 3; Astor, Jennings, Monticello, and St. Petersburg, each 1 case. *Enteric fever*—Jacksonville 2; Blich-ton, Newburg, and Quincy, each 1 case.

ILLINOIS—*Aurora*.—Four weeks ended June 26, 1909. Estimated population, 31,000. Total number of deaths, 23, including 1 from scarlet fever. Cases: Scarlet fever 8, and diphtheria 5.

Quincy.—Month of April, 1909. Estimated population, 43,000. Total number of deaths, 45, including 6 from tuberculosis. Cases: Scarlet fever 2, diphtheria 4, measles 1.

INDIANA—*Jeffersonville*.—Month of April, 1909. Estimated population, 12,000. Total number of deaths, 15, including 2 from tuberculosis. Cases: Enteric fever 1, diphtheria 3, measles 2, and tuberculosis 2.

IOWA.—Report for the four months ended April 30, 1909. Total number of deaths, 7,563, including diphtheria 55, measles 17, pneumonia 1,248, scarlet fever 41, smallpox 1, enteric fever 69, whooping cough 33, and 557 from tuberculosis.

Davenport.—Two months ended April 30, 1909. Estimated population, 42,000. Total number of deaths not reported. Deaths from

contagious diseases: Scarlet fever 2, and 10 from tuberculosis. Cases: Enteric fever 8, scarlet fever 8, diphtheria 7, measles 18, whooping cough 3, and tuberculosis 12.

KANSAS.—Month of March, 1909. Estimated population, 1,470,495. Total number of deaths from contagious and infectious diseases, 115. Causes of death: Tuberculosis 82, enteric fever 11, diphtheria 11, scarlet fever 7, and 4 from measles. Cases: Tuberculosis 134, enteric fever 35, diphtheria 82, scarlet fever 186, smallpox 358, and measles 562.

KENTUCKY—*Henderson*.—Month of April, 1909. Estimated population, 18,700. Total number of deaths, 11, including 2 from tuberculosis. Cases: Enteric fever 1, scarlet fever 2, diphtheria 1, and tuberculosis 1.

MARYLAND—*Washington County*.—Month of April, 1909. Estimated population, 55,000. Total number of deaths, 55, including enteric fever 1, measles 4, whooping cough 1, and 6 from tuberculosis. Cases: Enteric fever 2, diphtheria 6, and measles 152.

Month of May, 1909. Total number of deaths, 48, including measles 11, and 3 from tuberculosis. Cases: Enteric fever 2, scarlet fever 2, diphtheria 1, and measles 160.

MINNESOTA.—Month of March, 1909. Estimated population, 1,979,658. Reports to the state board of health show as follows: Total number of deaths, 1,757, including diphtheria 45, enteric fever 33, scarlet fever 28, measles 4, whooping cough 18, smallpox 2, and 203 from tuberculosis. Deaths reported from state institutions during the month numbered 30, including 6 from tuberculosis.

MISSOURI—*St. Louis*.—Month of February, 1909. Estimated population, 735,000 (white, 688,000; colored, 47,000). Total number of deaths, 921 (white, 815; colored 106), including diphtheria 16, measles 25, enteric fever 3, whooping cough 2, scarlet fever 2, and 116 from pulmonary tuberculosis. Cases of contagious diseases reported: Diphtheria 185, enteric fever 14, measles 977, scarlet fever 91, whooping cough 21, smallpox 6, leprosy 1, and pulmonary tuberculosis 186.

MONTANA.—Month of May, 1909. Estimated population, 280,000. Reports to the state board of health show as follows: Total number of deaths, 384, including diphtheria 10, enteric fever 6, scarlet fever 11, measles 1, and 24 from tuberculosis. Cases: Diphtheria 72, enteric fever 18, measles 112, scarlet fever 256, and smallpox 50.

NEW YORK—*Rochester*.—Three months ended April 30, 1909. Estimated population, 200,000. Total number of deaths, 799, corresponding to an annual death rate of 16.36 per 1,000 of population, including tuberculosis 97, measles 15, enteric fever 5, whooping cough 6, and 3 from diphtheria. Cases: Scarlet fever 93, diphtheria 22, and enteric fever 9.

Saratoga Springs.—Three months ended April 30, 1909. Estimated population, 11,822. Total number of deaths, 59, including diphtheria 1, and 5 from tuberculosis. Cases: Scarlet fever 3, diphtheria 6, enteric fever 2, and tuberculosis 10.

OHIO—*Cleveland.*—Month of May, 1909. Estimated population, 515,000. Total number of deaths 601, including enteric fever 5, measles 6, scarlet fever 3, whooping cough 5, diphtheria 1, and 61 from tuberculosis. Cases not reported.

Toledo.—Month of April, 1909. Estimated population, 187,453. Total number of deaths 162, corresponding to an annual death rate of 9.924 per 1,000 of population, including enteric fever 2, diphtheria 1, and 24 from tuberculosis. Cases: Diphtheria 17, scarlet fever 11, and measles 25.

Month of May, 1909. Total number of deaths 180, corresponding to an annual death rate of 11.03 per 1,000 of population, including enteric fever 3, diphtheria 2, and 20 from tuberculosis. Cases: Diphtheria 16, scarlet fever 8, measles 64, and smallpox 1.

SOUTH CAROLINA—*Charleston.*—Month of March, 1909. Census population 1900, 55,807. Total number of deaths 112, including enteric fever 4, and 4 from tuberculosis. Cases: Enteric fever 5, and diphtheria 3.

Month of May, 1909. Total number of deaths 138, including enteric fever 1, and 15 from tuberculosis. Cases: Enteric fever 15, scarlet fever 1, and diphtheria 1.

WISCONSIN—*Milwaukee.*—Month of May, 1909. Estimated population, 370,000. Total number of deaths 459, including enteric fever 4, scarlet fever 27, diphtheria 14, measles 6, and 35 from tuberculosis. Cases: Smallpox 6, tuberculosis 60, diphtheria 61, scarlet fever 138, enteric fever 27, and measles 239.

Smallpox in the United States as reported to the Surgeon-General, Public Health and Marine-Hospital Service, June 26 to July 9, 1909.

[For reports received from December 25, 1908, to June 25, 1909, see PUBLIC HEALTH REPORTS for June 25, 1909.]

[NOTE.—In accordance with custom, the tables of epidemic diseases are terminated semiannually and new tables begun.]

Place.	Date.	Cases.	Deaths.	Remarks.
California:				
Ho'art Mills.....	Apr. 1-30.....	1	
Sacramento.....	June 6-12.....	1	
San Francisco.....	June 6-12.....	1	
Truckee.....	Mar. 23.....	3	
Total for State.....		6	
Georgia:				
Macon.....	June 14-27.....	6	
Total for State.....		6	